



Element	Pos. Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>UNA</b>	<b>Service String Advice</b>						<b>UNA:+.?'</b>
0010	COMPONENT DATA ELEMENT SEPARATOR	1	M	an..1	U		":"
0020	DATA ELEMENT SEPARATOR	1	M	an..1	U		"+"
0030	DECIMAL NOTATION	1	M	an..1	U		","
0040	RELEASE INDICATOR	1	M	an..1	U		"?"
0050	RESERVED FOR FUTURE USE	1	M	an..1	U		" "
0060	SEGMENT TERMINATOR	1	M	an..1	U		""

## INTERCHANGE LEVEL

<b>UNB</b>	<b>Interchange Header</b>	<b>1</b>	<b>M</b>				<b>UNB+UNOC:1+TNT+O0013000 578MB010000+080311:1629+3 635'</b>
<b>S001</b>	<b>SYNTAX IDENTIFIER</b>		<b>M</b>			<b>U</b>	
0001	Syntax identifier		M	a4	U		UNOC
0002	Syntax version number		M	n1	U		1
<b>S002</b>	<b>INTERCHANGE SENDER</b>		<b>M</b>			<b>U</b>	
0004	Sender identification		M	an..35	U		TNT
0007	Partner identification code qualifier		C	an..4	C		
0008	Address for reverse routing			an..14	C		
<b>S003</b>	<b>INTERCHANGE RECIPIENT</b>		<b>M</b>			<b>U</b>	
0010	Recipient identification		M	an..35	U		O0013000578MB010000
0007	Partner identification code qualifier		C	an..4	C		
0014	Routing address		C	an..14	C		
<b>S004</b>	<b>DATE AND TIME OF PREPARATION</b>		<b>M</b>			<b>U</b>	
0017	Date of preparation		M	n6	U		80311
0019	Time of preparation		M	n4	U		1629
0020	INTERCHANGE CONTROL REFERENCE		M	an..14	U	Document number	3635
<b>S005</b>	<b>RECIPIENTS REFERENCE PASSWORD</b>		<b>C</b>			<b>C</b>	
0022	Recipient reference/password		C	an..14	C		

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
0025		Recipient reference/password qualifier		C	an2	C		
0026		APPLICATION REFERENCE		C	an..14	C		
0029		PROCESSING PRIORITY CODE		C	a1	C		
0031		ACKNOWLEDGEMENT REQUEST		C	n1	C		
0032		COMMUNICATIONS AGREEMENT ID		C	an..35	C		
0035		TEST INDICATOR		C	n1	C		
<b>MESSAGE LEVEL</b>				<b>M</b>				
<b>UNH</b>		<b>Message header</b>	<b>1</b>	<b>M</b>				<b>UNH+0158725357+INVOIC:D:96A:UN'</b>
0062	10	Message reference number	1	M	an..14	U	Invoice number	0158725357
<b>S009</b>	<b>20</b>	<b>MESSAGE IDENTIFIER</b>	<b>1</b>	<b>M</b>			<b>U</b>	
0065		Message type		M	an..6	U		INVOIC
0052		Message version number		M	an..3	U		D
0054		Message release number		M	an..3	U		96A
0051		Controlling agency, coded		M	an..3	U		UN
0057		Association assigned code		C	an..6	C		
0110		Code list directory version number		C	an..6	C		
0113		Message type sub-function identification		C	an..6	C		
0068	30	Common access reference	1	C	an..35	C		
<b>S010</b>	<b>40</b>	<b>STATUS OF THE TRANSFER</b>	<b>1</b>	<b>C</b>			<b>C</b>	
70		Sequence of transfers		M	n..2	C		
73		First and last transfer		C	a1	C		
<b>S016</b>	<b>50</b>	<b>MESSAGE SUBSET IDENTIFICATION</b>	<b>1</b>	<b>C</b>			<b>C</b>	
115		Message subset identification		M	an..14	C		
116		Message subset version number		C	an..3	C		
118		Message subset release number		C	an..3	C		
51		Controlling agency, coded		C	an..3	C		



Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>S017</b>	<b>60</b>	<b>MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION</b>	<b>1</b>	<b>C</b>		<b>C</b>		
121		Message implementation guideline identification		M	an..14	C		
122		Message implementation guideline version number		C	an..3	C		
124		Message implementation guideline release number		C	an..3	C		
51		Controlling agency, coded		C	an..3	C		
<b>S018</b>	<b>70</b>	<b>SCENARIO IDENTIFICATION</b>	<b>1</b>	<b>C</b>		<b>C</b>		
127		Scenario identification		M	an..14	C		
128		Scenario version number		C	an..3	C		
130		Scenario release number		C	an..3	C		
51		Controlling agency, coded		C	an..3	C		
<b>BGM</b>		<b>Beginning of message</b>	<b>1</b>	<b>M</b>				<b>BGM+380+0158725357'</b>
<b>C002</b>	<b>10</b>	<b>DOCUMENT/MESSAGE NAME</b>	<b>1</b>	<b>C</b>		<b>U</b>		
1001		Document/message name, coded		C	an..3	U	380 = Commercial Invoice	380
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
1000		Document/message name		C	an..35	C		
1004	20	Document/message number	1	C	an..35	U	Invoice number / Document number (unique)	0158725357
1225	30	Message function, coded	1	C	an..3	C		
4343	40	Response type, coded	1	C	an..3	C		
<b>DTM</b>		<b>Date/time/period</b>	<b>35</b>	<b>M</b>				<b>DTM+3:20080305:102'</b>
<b>C507</b>	<b>10</b>	<b>DATE/TIME/PERIOD</b>	<b>1</b>	<b>M</b>		<b>U</b>		
2005		Date/time/period qualifier		M	an..3	U	3 = Invoice date/time	3

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
2380		Date/time/period		C	an..35	U		20080305
2379		Date/time/period format qualifier		C	an..3	U	102 = CCYYMMDD	102
<b>DTM</b>		<b>Date/time/period</b>	<b>35</b>	<b>M</b>				<b>DTM+35:20080301:102'</b>
<b>C507</b>	<b>10</b>	<b>DATE/TIME/PERIOD</b>	<b>1</b>	<b>M</b>		<b>U</b>		
2005		Date/time/period qualifier		M	an..3	U	35 = Delivery date/time, actual	35
2380		Date/time/period		C	an..35	U		20080301
2379		Date/time/period format qualifier		C	an..3	U	102 = CCYYMMDD	102
<b>FTX</b>		<b>Free text</b>	<b>10</b>	<b>C</b>				<b>FTX+ZZZ'</b>
4451	10	Text subject qualifier	1	M	an..3	U	ZZZ = Mutually defined	ZZZ
4453	20	Text function, coded	1	C	an..3	C		
<b>C107</b>	<b>30</b>	<b>TEXT REFERENCE</b>	<b>1</b>	<b>C</b>		<b>C</b>		
4441		Free text, coded		M	an..3	C		
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
<b>C108</b>	<b>40</b>	<b>TEXT LITERAL</b>	<b>1</b>	<b>C</b>		<b>C</b>		
4440		Free text		M	an..70	C	x Invoice text	
4440		Free text		C	an..70	C		
4440		Free text		C	an..70	C		
4440		Free text		C	an..70	C		
4440		Free text		C	an..70	C		
3453	50	Language, coded	1	C	an..3	C		
<b>Segment Group 1</b>			<b>99</b>	<b>C</b>				
<b>RFF</b>		<b>Reference</b>	<b>1</b>	<b>M</b>				<b>RFF+ON:0268581909'</b>



Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing	Specific Data	Value String (Example)
<b>C506</b>	<b>10</b>	<b>REFERENCE</b>	<b>1</b>	<b>M</b>				<b>U</b>	
1153		Reference qualifier		M	an..3	U	ON = Order number	ON	
1154		Reference number		C	an..35	U	Order number	0268581909	
1156		Line number		C	an..6	C			
4000		Reference version number		C	an..35	C			

Segment Group 2			Count	M/C					Value String (Example)
<b>NAD</b>		<b>Name and address</b>	<b>1</b>	<b>M</b>					<b>NAD+DS+TNT::ZZZ++Hamburg:Die F&amp;A Abteilung+Amandus-Stubbe- Str. 12+Hamburg++22113+DE'</b>
3035	10	Party qualifier	1	M	an..3	U	DS=Distributor	DS	
<b>C082</b>	<b>20</b>	<b>PARTY IDENTIFICATION DETAILS</b>	<b>1</b>	<b>C</b>					
3039		Party id. identification		M	an..35	U	Fix Value (DS)	TNT	
1131		Code list qualifier		C	an..3	B			
3055		Code list responsible agency, coded		C	an..3	U		ZZZ	
<b>C058</b>	<b>30</b>	<b>NAME AND ADDRESS</b>	<b>1</b>	<b>C</b>			<b>B</b>		
3124		Name and address line		M	an..35	C			
3124		Name and address line		C	an..35	C			
3124		Name and address line		C	an..35	C			
3124		Name and address line		C	an..35	C			
3124		Name and address line		C	an..35	C			
<b>C080</b>	<b>40</b>	<b>PARTY NAME</b>	<b>1</b>	<b>C</b>			<b>U</b>		
3036		Party name		M	an..35	U		Hamburg:Die F&A Abteilung	
3036		Party name		C	an..35	C			
3036		Party name		C	an..35	C			
3036		Party name		C	an..35	C			
3036		Party name		C	an..35	C			
3045		Party name format, coded		C	an..3	C			

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing	Specific Data	Value String (Example)
<b>C059</b>	<b>50</b>	<b>STREET</b>	<b>1</b>	<b>C</b>		<b>U</b>			
3042		Street and number/p.o. box		M	an..35	U			Amandus-Stubbe-Str. 12
3042		Street and number/p.o. box		C	an..35	C			
3042		Street and number/p.o. box		C	an..35	C			
3042		Street and number/p.o. box		C	an..35	C			
3164	60	City name	1	C	an..35	U			Hamburg
3229	70	Country sub-entity identification	1	C	an..9	B			
3251	80	Postcode identification	1	C	an..9	U			22113
3207	90	Country, coded	1	C	an..3	U			DE

Segment Group 2			1	C						
<b>NAD</b>		<b>Name and address</b>	<b>1</b>	<b>M</b>						<b>NAD+AA+0070232420::ZZZ++ Beispiel GmbH:200 - Payment Center+Beispiel Weg 183+Musterort++22880+DE'</b>
3035	10	Party qualifier	1	M	an..3	U		AA = Party to be billed	AA	
<b>C082</b>	<b>20</b>	<b>PARTY IDENTIFICATION DETAILS</b>	<b>1</b>	<b>C</b>						
3039		Party id. identification		M	an..35	U		Customer number	0070707070	
1131		Code list qualifier		C	an..3	B				
3055		Code list responsible agency, coded		C	an..3	U			ZZZ	
<b>C058</b>	<b>30</b>	<b>NAME AND ADDRESS</b>	<b>1</b>	<b>C</b>		<b>B</b>				
3124		Name and address line		M	an..35	C				
3124		Name and address line		C	an..35	C				
3124		Name and address line		C	an..35	C				
3124		Name and address line		C	an..35	C				
3124		Name and address line		C	an..35	C				

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>C080</b>	<b>40</b>	<b>PARTY NAME</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3036		Party name		M	an..35	U		Beispiel GmbH
3036		Party name		C	an..35	U		200 - Payment Center
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3045		Party name format, coded		C	an..3	C		
<b>C059</b>	<b>50</b>	<b>STREET</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3042		Street and number/p.o. box		M	an..35	U		Beispiel Weg 183
3042		Street and number/p.o. box		C	an..35	C		
3042		Street and number/p.o. box		C	an..35	C		
3042		Street and number/p.o. box		C	an..35	C		
3164	60	City name	1	C	an..35	U		Musterort
3229	70	Country sub-entity identification	1	C	an..9	B		
3251	80	Postcode identification	1	C	an..9	U		22880
3207	90	Country, coded	1	C	an..3	U		DE

Segment Group 13			1	C				
<b>PAC</b>		<b>Package</b>	<b>1</b>	<b>M</b>			<b>?</b>	<b>PAC+'</b>
7224	10	Number of packages	1	C	n..8		will not be filled	
<b>C531</b>	<b>20</b>	<b>PACKAGING DETAILS</b>	<b>1</b>	<b>C</b>				
7075		Packaging level, coded		C	an..3			
7233		Packaging related information, coded		C	an..3			
7073		Packaging terms and conditions, coded		C	an..3			
<b>C202</b>	<b>30</b>	<b>PACKAGE TYPE</b>	<b>1</b>	<b>C</b>				
7065		Type of packages identification		C	an..17			
1131		Code list qualifier		C	an..3			



Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
3055		Code list responsible agency, coded		C	an..3			
7064		Type of packages		C	an..35			
<b>C402</b>	<b>40</b>	<b>PACKAGE TYPE IDENTIFICATION</b>	<b>1</b>	<b>C</b>				
7077		Item description type, coded		M	an..3			
7064		Type of packages		M	an..35			
7143		Item number type, coded		C	an..3			
7064		Type of packages		C	an..35			
7143		Item number type, coded		C	an..3			
<b>C532</b>	<b>50</b>	<b>RETURNABLE PACKAGE DETAILS</b>	<b>1</b>	<b>C</b>				
8395		Returnable package freight payment responsibility, coded		C	an..3			
8393		Returnable package load contents, coded		C	an..3			
<b>MEA</b>		<b>Measurements</b>	<b>5</b>	<b>C</b>				<b>MEA+WT+ADZ+KGM:.100'</b>
6311	10	Measurement application qualifier	1	M	an..3	U	WT = Weights	WT
<b>C502</b>	<b>20</b>	<b>MEASUREMENT DETAILS</b>	<b>1</b>	<b>C</b>		<b>U</b>		
6313		Measurement dimension, coded		C	an..3	U	ADZ = Declared net weight	ADZ
6321		Measurement significance, coded		C	an..3	C		
6155		Measurement attribute, coded		C	an..3	C		
6154		Measurement attribute		C	an..70	C		
<b>C174</b>	<b>30</b>	<b>VALUE/RANGE</b>	<b>1</b>	<b>C</b>		<b>U</b>		
6411		Measure unit qualifier		M	an..3	U	KGM=Kilogram	KGM
6314		Measurement value		C	n..18	U	Weigth value	.100
6162		Range minimum		C	n..18	C		
6152		Range maximum		C	n..18	C		
6432		Significant digits		C	n..2	C		
7383	40	Surface/layer indicator, coded	1	C	an..3	C		

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing	Specific Data	Value String (Example)
<b>Segment Group 13</b>			<b>1</b>	<b>C</b>					
<b>PAC</b>		<b>Package</b>	<b>1</b>	<b>M</b>			<b>?</b>		<b>PAC+'</b>
7224	10	Number of packages	1	C	n..8			will not be filled	
<b>C531</b>	<b>20</b>	<b>PACKAGING DETAILS</b>	<b>1</b>	<b>C</b>					
7075		Packaging level, coded		C	an..3				
7233		Packaging related information, coded		C	an..3				
7073		Packaging terms and conditions, coded		C	an..3				
<b>C202</b>	<b>30</b>	<b>PACKAGE TYPE</b>	<b>1</b>	<b>C</b>					
7065		Type of packages identification		C	an..17				
1131		Code list qualifier		C	an..3				
3055		Code list responsible agency, coded		C	an..3				
7064		Type of packages		C	an..35				
<b>C402</b>	<b>40</b>	<b>PACKAGE TYPE IDENTIFICATION</b>	<b>1</b>	<b>C</b>					
7077		Item description type, coded		M	an..3				
7064		Type of packages		M	an..35				
7143		Item number type, coded		C	an..3				
7064		Type of packages		C	an..35				
7143		Item number type, coded		C	an..3				
<b>C532</b>	<b>50</b>	<b>RETURNABLE PACKAGE DETAILS</b>	<b>1</b>	<b>C</b>					
8395		Returnable package freight payment responsibility, coded		C	an..3				
8393		Returnable package load contents, coded		C	an..3				
<b>MEA</b>		<b>Measurements</b>	<b>5</b>	<b>C</b>					<b>MEA+WT+AAD+KGM:.100'</b>
6311	10	Measurement application qualifier	1	M	an..3	U		WT = Weights	WT
<b>C502</b>	<b>20</b>	<b>MEASUREMENT DETAILS</b>	<b>1</b>	<b>C</b>			<b>U</b>		
6313		Measurement dimension, coded		C	an..3	U		AAD = Total gross weight	AAD

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
6321		Measurement significance, coded		C	an..3	C		
6155		Measurement attribute, coded		C	an..3	C		
6154		Measurement attribute		C	an..70	C		
<b>C174</b>	<b>30</b>	<b>VALUE/RANGE</b>	<b>1</b>	<b>C</b>		<b>U</b>		
6411		Measure unit qualifier		M	an..3	U	KGM = Kilogram	KGM
6314		Measurement value		C	n..18	U	Weight value	.100
6162		Range minimum		C	n..18	C		
6152		Range maximum		C	n..18	C		
6432		Significant digits		C	n..2	C		
7383	40	Surface/layer indicator, coded	1	C	an..3	C		

Segment Group 25			99999(1)	C					
<b>LIN</b>		<b>Line item</b>	<b>1</b>	<b>M</b>					
1082	10	Line item number	1	C	n..6	U	Position number	1	
1229	20	Action request/notification, coded	1	C	an..3	B			
<b>C212</b>	<b>30</b>	<b>ITEM NUMBER IDENTIFICATION</b>	<b>1</b>	<b>C</b>		<b>U</b>			
7140		Item number		C	an..35	U	Service code	Global Express (Dokumente)	
7143		Item number type, coded		C	an..3	C			
1131		Code list qualifier		C	an..3	C			
3055		Code list responsible agency, coded		C	an..3	C			
<b>C829</b>	<b>40</b>	<b>SUB-LINE INFORMATION</b>	<b>1</b>	<b>C</b>		<b>U</b>			
5495		Sub-line indicator, coded		C	an..3	U	Fixed, sub line information	1	
1082		Line item number		C	n..6	U	Line item number	1	
1222	50	Configuration level	1	C	n..2	C			
7083	60	Configuration, coded	1	C	an..3	C			
<b>MEA</b>		<b>Measurements</b>	<b>5(1)</b>	<b>C</b>					
6311	10	Measurement application qualifier	1	M	an..3	U	WT = Weights	WT	



Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>C502</b>	<b>20</b>	<b>MEASUREMENT DETAILS</b>	<b>1</b>	<b>C</b>		<b>U</b>		
6313		Measurement dimension, coded		C	an..3	U	ADZ = Declared net weight	ADZ
6321		Measurement significance, coded		C	an..3	C		
6155		Measurement attribute, coded		C	an..3	C		
6154		Measurement attribute		C	an..70	C		
<b>C174</b>	<b>30</b>	<b>VALUE/RANGE</b>	<b>1</b>	<b>C</b>		<b>U</b>		
6411		Measure unit qualifier		M	an..3	U	KGM = Kilograms	KGM
6314		Measurement value		C	n..18	U	Weight value	.100
6162		Range minimum		C	n..18	C		
6152		Range maximum		C	n..18	C		
6432		Significant digits		C	n..2	C		
7383	40	Surface/layer indicator, coded	1	C	an..3	C		
<b>MEA</b>		<b>Measurements</b>	<b>5(2)</b>	<b>C</b>				<b>MEA+WT+AAD+KGM:.100'</b>
6311	10	Measurement application qualifier	1	M	an..3	U	WT = Weights	WT
<b>C502</b>	<b>20</b>	<b>MEASUREMENT DETAILS</b>	<b>1</b>	<b>C</b>		<b>U</b>		
6313		Measurement dimension, coded		C	an..3	U	AAD = Total gross weight	AAD
6321		Measurement significance, coded		C	an..3	C		
6155		Measurement attribute, coded		C	an..3	C		
6154		Measurement attribute		C	an..70	C		
<b>C174</b>	<b>30</b>	<b>VALUE/RANGE</b>	<b>1</b>	<b>C</b>		<b>U</b>		
6411		Measure unit qualifier		M	an..3	U	KGM = Kilograms	KGM
6314		Measurement value		C	n..18	U	Weight value	.100
6162		Range minimum		C	n..18	C		
6152		Range maximum		C	n..18	C		
6432		Significant digits		C	n..2	C		
7383	40	Surface/layer indicator, coded	1	C	an..3	C		

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>DTM</b>		<b>Date/time/period</b>	<b>1</b>	<b>M</b>				<b>DTM+17:20090801:102'</b>
<b>C507</b>	<b>10</b>	<b>DATE/TIME/PERIOD</b>	<b>1</b>	<b>M</b>		<b>U</b>		
2005		Date/time/period qualifier		M	an..3	U	17 = Delivery date/time, estimated	17
2380		Date/time/period		C	an..35	U		20090801
2379		Date/time/period format qualifier		C	an..3	U	102 = CCYYMMDD	102
<b>FTX</b>		<b>Free text</b>	<b>5</b>	<b>C</b>				<b>FTX+ZZZ+++DOCUMENT'</b>
4451	10	Text subject qualifier	1	M	an..3	U	ZZZ = Mutually defined	ZZZ
4453	20	Text function, coded	1	C	an..3	B		
<b>C107</b>	<b>30</b>	<b>TEXT REFERENCE</b>	<b>1</b>	<b>C</b>		<b>B</b>		
4441		Free text, coded		M	an..3	C		
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
<b>C108</b>	<b>40</b>	<b>TEXT LITERAL</b>	<b>1</b>	<b>C</b>		<b>U</b>		
4440		Free text		M	an..70	U	Position text / ware's content	DOCUMENT
4440		Free text		C	an..70	C		
4440		Free text		C	an..70	C		
4440		Free text		C	an..70	C		
4440		Free text		C	an..70	C		
3453	50	Language, coded	1	C	an..3	C		

Segment Group 26			5	C				
<b>MOA</b>		<b>Monetary amount</b>	<b>1</b>	<b>M</b>				<b>MOA+304:.17:EUR'</b>
<b>C516</b>	<b>10</b>	<b>MONETARY AMOUNT</b>	<b>1</b>	<b>M</b>		<b>U</b>		
5025		Monetary amount type qualifier		M	an..3	U	304 = Other charges / miscellaneous charges	304
5004		Monetary amount		C	n..18	U		.17



Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
6345		Currency, coded		C	an..3	U		EUR
6343		Currency qualifier		C	an..3	C		
4405		Status, coded		C	an..3	C		
<b>MOA</b>		<b>Monetary amount</b>	<b>1</b>	<b>C</b>				<b>MOA+286:10:EUR'</b>
<b>C516</b>	<b>10</b>	<b>MONETARY AMOUNT</b>	<b>1</b>	<b>M</b>		<b>U</b>		
5025		Monetary amount type qualifier		M	an..3	U	284 = Surcharges (additional charge for paper invoice)	286
5004		Monetary amount		C	n..18	U		10
6345		Currency, coded		C	an..3	U		EUR
6343		Currency qualifier		C	an..3	C		
4405		Status, coded		C	an..3	C		
<b>Segment Group 27</b>			<b>10</b>	<b>C</b>				
<b>PAT</b>		<b>Payment terms basis</b>	<b>1</b>	<b>M</b>			<b>x</b>	<b>PAT+'</b>
4279	10	Payment terms type qualifier	1	M	an..3			
<b>C110</b>	<b>20</b>	<b>PAYMENT TERMS</b>	<b>1</b>	<b>C</b>				
4277		Terms of payment identification		M	an..17			
1131		Code list qualifier		C	an..3			
3055		Code list responsible agency, coded		C	an..3			
4276		Terms of payment		C	an..35			
4276		Terms of payment		C	an..35			
<b>C112</b>	<b>30</b>	<b>TERMS/TIME INFORMATION</b>	<b>1</b>	<b>C</b>				
2475		Payment time reference, coded		M	an..3			
2009		Time relation, coded		C	an..3			
2151		Type of period, coded		C	an..3			
2152		Number of periods		C	n..3			
<b>DTM</b>		<b>Date/time/period</b>	<b>5(1)</b>	<b>C</b>				<b>DTM+201:20080301:102'</b>
<b>C507</b>	<b>10</b>	<b>DATE/TIME/PERIOD</b>	<b>1</b>	<b>M</b>		<b>U</b>		
2005		Date/time/period qualifier		M	an..3	U	201 = Pick-up date	201

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing	Specific Data	Value String (Example)
2380		Date/time/period		C	an..35	U			2008301
2379		Date/time/period format qualifier		C	an..3	U		102 = CCYYMMDD	102
<b>DTM</b>		<b>Date/time/period</b>	<b>5(2)</b>	<b>C</b>					<b>DTM+36::102'</b>
<b>C507</b>	<b>10</b>	<b>DATE/TIME/PERIOD</b>	<b>1</b>	<b>M</b>		<b>U</b>			
2005		Date/time/period qualifier		M	an..3	U		36 = Expiry date	36
2380		Date/time/period		C	an..35	B	?		
2379		Date/time/period format qualifier		C	an..3	U		102 = CCYYMMDD	102

Segment Group 29			10? (2)	C					
<b>RFF</b>		<b>Reference</b>	<b>1</b>	<b>M</b>					<b>RFF+FN:650999285'</b>
<b>C506</b>	<b>10</b>	<b>REFERENCE</b>	<b>1</b>	<b>M</b>		<b>U</b>			
1153		Reference qualifier		M	an..3	U		FN = Freight bill number	FN
1154		Reference number		C	an..35	U			650999285
1156		Line number		C	an..6	C			
4000		Reference version number		C	an..35	C			

Segment Group 29			10? (2)	C					
<b>RFF</b>		<b>Reference</b>	<b>1</b>	<b>M</b>					<b>RFF+CR:2601383844 30'</b>
<b>C506</b>	<b>10</b>	<b>REFERENCE</b>	<b>1</b>	<b>M</b>		<b>U</b>			
1153		Reference qualifier		M	an..3	U		CR = Customer Reference	CR
1154		Reference number		C	an..35	U			2601383844 30
1156		Line number		C	an..6	C			
4000		Reference version number		C	an..35	C			

Segment Group 30			10	C					
<b>PAC</b>		<b>Package</b>	<b>1</b>	<b>M</b>					<b>PAC+1'</b>
7224	10	Number of packages	1	C	n..8	U		Collies count	1

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>C531</b>	<b>20</b>	<b>PACKAGING DETAILS</b>	<b>1</b>	<b>C</b>		<b>C</b>		
7075		Packaging level, coded		C	an..3	C		
7233		Packaging related information, coded		C	an..3	C		
7073		Packaging terms and conditions, coded		C	an..3	C		
<b>C202</b>	<b>30</b>	<b>PACKAGE TYPE</b>	<b>1</b>	<b>C</b>		<b>C</b>		
7065		Type of packages identification		C	an..17	C		
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
7064		Type of packages		C	an..35	C		
<b>C402</b>	<b>40</b>	<b>PACKAGE TYPE IDENTIFICATION</b>	<b>1</b>	<b>C</b>		<b>C</b>		
7077		Item description type, coded		M	an..3	C		
7064		Type of packages		M	an..35	C		
7143		Item number type, coded		C	an..3	C		
7064		Type of packages		C	an..35	C		
7143		Item number type, coded		C	an..3	C		
<b>C532</b>	<b>50</b>	<b>RETURNABLE PACKAGE DETAILS</b>	<b>1</b>	<b>C</b>		<b>C</b>		
8395		Returnable package freight payment responsibility, coded		C	an..3	C		
8393		Returnable package load contents, coded		C	an..3	C		
<b>Segment Group 33</b>			<b>99</b>	<b>C</b>				
<b>TAX</b>		<b>Duty/tax/fee details</b>	<b>1</b>	<b>M</b>				<b>TAX+7+VAT++++:19.000+A'</b>
5283	10	Duty/tax/fee function qualifier	1	M	an..3	U	7 = tax	7
<b>C241</b>	<b>20</b>	<b>DUTY/TAX/FEE TYPE</b>	<b>1</b>	<b>C</b>		<b>U</b>		
5153		Duty/tax/fee type, coded		C	an..3	U	VAT = Value added tax	VAT
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
5152		Duty/tax/fee type		C	an..35	C		

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing	Specific Data	Value String (Example)
<b>C533</b>	<b>30</b>	<b>DUTY/TAX/FEE ACCOUNT DETAIL</b>	<b>1</b>	<b>C</b>		<b>B</b>			
5289		Duty/tax/fee account identification		M	an..6	C			
1131		Code list qualifier		C	an..3	C			
3055		Code list responsible agency, coded		C	an..3	C			
5286	40	Duty/tax/fee assessment basis	1	C	an..15	B			
<b>C243</b>	<b>50</b>	<b>DUTY/TAX/FEE DETAIL</b>	<b>1</b>	<b>C</b>		<b>U</b>			
5279		Duty/tax/fee rate identification		C	an..7	B			
1131		Code list qualifier		C	an..3	B			
3055		Code list responsible agency, coded		C	an..3	B			
5278		Duty/tax/fee rate		C	an..17	U	tax rate		19.000
5273		Duty/tax/fee rate basis identification		C	an..12	C			
1131		Code list qualifier		C	an..3	C			
3055		Code list responsible agency, coded		C	an..3	C			
5305	60	Duty/tax/fee category, coded	1	C	an..3	U	A = Mixed tax rate		A
3446	70	Party tax identification number	1	C	an..20	C			
<b>MOA</b>		<b>Monetary amount</b>	<b>1</b>	<b>C</b>					<b>MOA+150::EUR'</b>
<b>C516</b>	<b>10</b>	<b>MONETARY AMOUNT</b>	<b>1</b>	<b>M</b>		<b>U</b>			
5025		Monetary amount type qualifier		M	an..3	U	150 = Value added tax		150
5004		Monetary amount		C	n..18	B	x VAT value		
6345		Currency, coded		C	an..3	U			EUR
6343		Currency qualifier		C	an..3	C			
4405		Status, coded		C	an..3	C			
<b>Segment Group 34</b>			<b>20</b>	<b>C</b>					
<b>NAD</b>		<b>Name and address</b>	<b>1</b>	<b>M</b>					<b>NAD+SF+0070232420++Beispiel GmbH+Beispiel Weg 183+Musterort++22880+DE'</b>



Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
3035	10	Party qualifier	1	M	an..3	U	SF = Ship from	SF
<b>C082</b>	<b>20</b>	<b>PARTY IDENTIFICATION DETAILS</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3039		Party id. identification		M	an..35	U	Stored address in TNT system	0070707070
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
<b>C058</b>	<b>30</b>	<b>NAME AND ADDRESS</b>	<b>1</b>	<b>C</b>		<b>B</b>		
3124		Name and address line		M	an..35	C		
3124		Name and address line		C	an..35	C		
3124		Name and address line		C	an..35	C		
3124		Name and address line		C	an..35	C		
3124		Name and address line		C	an..35	C		
<b>C080</b>	<b>40</b>	<b>PARTY NAME</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3036		Party name		M	an..35	U		Beispiel GmbH
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3045		Party name format, coded		C	an..3	C		
<b>C059</b>	<b>50</b>	<b>STREET</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3042		Street and number/p.o. box		M	an..35	U		Beispiel Weg 183
3042		Street and number/p.o. box		C	an..35	C		
3042		Street and number/p.o. box		C	an..35	C		
3042		Street and number/p.o. box		C	an..35	C		
3164	60	City name	1	C	an..35	U		Musterort
3229	70	Country sub-entity identification	1	C	an..9	B		
3251	80	Postcode identification	1	C	an..9	U		22880
3207	90	Country, coded	1	C	an..3	U		DE

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>Segment Group 34</b>			<b>20</b>	<b>C</b>				
<b>NAD</b>		<b>Name and address</b>	<b>1</b>	<b>M</b>				<b>NAD+ST+0000000050++Muster Pharma+6 Ave de la Cristallerie+Sevres++92316+FR' ST</b>
3035	10	Party qualifier	1	M	an..3	U	Ship to	ST
<b>C082</b>	<b>20</b>	<b>PARTY IDENTIFICATION DETAILS</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3039		Party id. identification		M	an..35	U	Stored address in TNT system	0000000050
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
<b>C058</b>	<b>30</b>	<b>NAME AND ADDRESS</b>	<b>1</b>	<b>C</b>		<b>B</b>		
3124		Name and address line		M	an..35	C		
3124		Name and address line		C	an..35	C		
3124		Name and address line		C	an..35	C		
3124		Name and address line		C	an..35	C		
3124		Name and address line		C	an..35	C		
<b>C080</b>	<b>40</b>	<b>PARTY NAME</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3036		Party name		M	an..35	U		Muster Pharma
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3036		Party name		C	an..35	C		
3045		Party name format, coded		C	an..3	C		
<b>C059</b>	<b>50</b>	<b>STREET</b>	<b>1</b>	<b>C</b>		<b>U</b>		
3042		Street and number/p.o. box		M	an..35	U		6 Ave de la Cristallerie
3042		Street and number/p.o. box		C	an..35	C		
3042		Street and number/p.o. box		C	an..35	C		
3042		Street and number/p.o. box		C	an..35	C		



Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
3164	60	City name	1	C	an..35	U		Sevres
3229	70	Country sub-entity identification	1	C	an..9	B		
3251	80	Postcode identification	1	C	an..9	U		92316
3207	90	Country, coded	1	C	an..3	U		FR
<b>Segment Group 46</b>			<b>5</b>	<b>C</b>		<b>C</b>		
<b>TOD</b>		<b>Terms of delivery or transport</b>	<b>1</b>	<b>M</b>		<b>C</b>		
4055	10	Terms of delivery or transport function, coded	1	C	an..3	C		
4215	20	Transport charges method of payment, coded	1	C	an..3	C		
<b>C100</b>	<b>30</b>	<b>TERMS OF DELIVERY OR TRANSPORT</b>	<b>1</b>	<b>C</b>		<b>C</b>		
4053		Terms of delivery or transport, coded		C	an..3	C		
1131		Code list qualifier		C	an..3	C		
3055		Code list responsible agency, coded		C	an..3	C		
4052		Terms of delivery or transport		C	an..70	C		
4052		Terms of delivery or transport		C	an..70	C		
<b>UNS</b>		<b>Section control</b>	<b>1</b>	<b>M</b>		<b>U</b>		<b>UNS+S'</b>
81	10	Section identification	1	M	a1	U	S = Detail/summary section separation	S
<b>CNT</b>		<b>Control total</b>	<b>10</b>	<b>C</b>		<b>C</b>		
<b>C270</b>	<b>10</b>	<b>CONTROL</b>	<b>1</b>	<b>M</b>		<b>C</b>		
6069		Control qualifier		M	an..3	C		
6066		Control value		M	n..18	C		
6411		Measure unit qualifier		C	an..3	C		
<b>Segment Group 48</b>			<b>100(1)</b>	<b>M</b>				
<b>MOA</b>		<b>Monetary amount</b>	<b>1</b>	<b>M</b>				<b>MOA+24:13.51:EUR'</b>

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
<b>C516</b>	<b>10</b>	<b>MONETARY AMOUNT</b>	<b>1</b>	<b>M</b>		<b>U</b>		
5025		Monetary amount type qualifier		M	an..3	U	24 = Charge total summary	24
5004		Monetary amount		C	n..18	U		13.51
6345		Currency, coded		C	an..3	U		EUR
6343		Currency qualifier		C	an..3	C		
4405		Status, coded		C	an..3	C		
<b>Segment Group 48</b>			<b>100(2)</b>	<b>M</b>				
<b>MOA</b>		<b>Monetary amount</b>	<b>1</b>	<b>M</b>				<b>MOA+39:16.08:EUR'</b>
<b>C516</b>	<b>10</b>	<b>MONETARY AMOUNT</b>	<b>1</b>	<b>M</b>		<b>U</b>		
5025		Monetary amount type qualifier		M	an..3	U	39 = Invoice total summary	39
5004		Monetary amount		C	n..18	U		16.08
6345		Currency, coded		C	an..3	U		EUR
6343		Currency qualifier		C	an..3	C		
4405		Status, coded		C	an..3	C		
<b>Segment Group 48</b>			<b>100(3)</b>	<b>M</b>				
<b>MOA</b>		<b>Monetary amount</b>	<b>1</b>	<b>M</b>				<b>MOA+150:2.57:EUR'</b>
<b>C516</b>	<b>10</b>	<b>MONETARY AMOUNT</b>	<b>1</b>	<b>M</b>		<b>U</b>		
5025		Monetary amount type qualifier		M	an..3	U	150 = Value added tax	150
5004		Monetary amount		C	n..18	U		2.57
6345		Currency, coded		C	an..3	U		EUR

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Message Structure



express

Element	Pos.	Description	Count	M/C	Format	U/B/C	Missing Specific Data	Value String (Example)
6343		Currency qualifier		C	an..3	C		
4405		Status, coded		C	an..3	C		
<b>UNT</b>		<b>Message trailer</b>	<b>1</b>	<b>M</b>		<b>U</b>		<b>UNT+62+0158725357'</b>
74	10	Number of segments in a message	1	M	n..10	U		62
62	20	Message reference number	1	M	an..14	U		0158725357
<b>UNE</b>			<b>1</b>	<b>C</b>		<b>C</b>		
0060	10	Number of messages	1	M	n..6			
0048	20	Functional group reference number	1	M	an..14			
<b>UNZ</b>			<b>1</b>	<b>M</b>		<b>U</b>		<b>UNZ+1+3635'</b>
0036	10	Interchange control count	1	M	n..6	U		1
0020	20	Interchange control reference	1	M	an..14	U		3635

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Example Limitations

## Example limitations

### File reference

Only the file O\_001\_000000001545548.out.txt is used as exemplary message

### Item Positions

Only the first of the three invoice positions in the file are illustrated (within the single Group25)

### Unused segments

The TOD segment is not used in the exemplary message

### Further limitations

The specific Data column relates to current example data and, thus, does not define a synopsis for the segments



express

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Known Mismatches

## Known mismatches

### Unused mandatory segments

PAC segments do not contain any data, although being defined as mandatory by the standard

PAT segments do not contain any data, although being defined as mandatory by the standard

### Missing data/component data elements

DTM segment in line 345 does not contain any data/time/period value

MOA segment in line 419 does not contain any monetary amount

FTX segment in line 99 does not contain any invoice text value

### Further issues

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Segments



express

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
<b>AJT Adjustment Details</b>					
10	4465	M	1	an..3	Adjustment reason, coded
20	1082	C	1	n..6	Line item number
<b>ALC Allowance or Charge</b>					
10	5463	M	1	an..3	Allowance or charge qualifier
20	C552	C	1		ALLOWANCE/CHARGE INFORMATION
	1230	C		an..35	Allowance or charge number
	5189	C		an..3	Charge/allowance description, coded
30	4471	C	1	an..3	Settlement, coded
40	1227	C	1	an..3	Calculation sequence indicator, coded
50	C214	C	1		SPECIAL SERVICES IDENTIFICATION
	7161	C		an..3	Special services, coded
	1131	C		an..3	Code list qualifier
	3055	C		an..3	Code list responsible agency, coded
	7160	C		an..35	Special service
	7160	C		an..35	Special service
<b>ALI Additional Information</b>					
10	3239	C	1	an..3	Country of origin, coded
20	9213	C	1	an..3	Type of duty regime, coded
30	4183	C	1	an..3	Special conditions, coded
40	4183	C	1	an..3	Special conditions, coded
50	4183	C	1	an..3	Special conditions, coded
60	4183	C	1	an..3	Special conditions, coded
70	4183	C	1	an..3	Special conditions, coded
<b>APR Additional Price Information</b>					
10	4043	C	1	an..3	Class of trade, coded
20	C138	C	1		PRICE MULTIPLIER INFORMATION
	5394	M		n..12	Price multiplier
	5393	C		an..3	Price multiplier qualifier

Segment	Pos	Segment	M/C	Freq.	Repres.	Notes
	30	C960	REASON FOR CHANGE	C	1	
		4295	Change reason, coded	C		an..3
		1131	Code list qualifier	C		an..3
		3055	Code list responsible agency, coded	C		an..3
		4294	Change reason	C		an..35
<b>BGM Beginning of Message</b>						
	10	C002	DOCUMENT/MESSAGE NAME	C	1	
		1001	Document/message name, coded	C		an..3
		1131	Code list qualifier	C		an..3
		3055	Code list responsible agency, coded	C		an..3
		1000	Document/message name	C		an..35
	20	1004	Document/message number	C	1	an..35
	30	1225	Message function, coded	C	1	an..3
	40	4343	Response type, coded	C	1	an..3
<b>CNT Control Total</b>						
	10	C270	CONTROL	M	1	
		6069	Control qualifier	M		an..3
		6066	Control value	M		n..18
		6411	Measure unit qualifier	C		an..3
<b>COM Communication Contract</b>						
	10	C076	COMMUNICATION CONTACT	M	1	
		3148	Communication number	M		an..512
		3155	Communication channel qualifier	M		an..3
<b>CTA Contact Information</b>						
	10	3139	Contact function, coded	C	1	an..3
	20	C056	DEPARTMENT OR EMPLOYEE DETAILS	C	1	
		3413	Department or employee identification	C		an..17
		3412	Department or employee	C		an..35

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Segments



Segment Pos	Segment	M/C	Freq.	Repres.	Notes
<b>CUX Currencies</b>					
10	C504	C	1		
	6347	M		an..3	
	6345	C		an..3	
	6343	C		an..3	
	6348	C		n..4	
20	C504	C	1		
	6347	M		an..3	
	6345	C		an..3	
	6343	C		an..3	
	6348	C		n..4	
30	5402	C	1		n..12
40	6341	C	1		an..3
<b>DOC Document/Message Details</b>					
10	C002	M	1		
	1001	C		an..3	
	1131	C		an..3	
	3055	C		an..3	
	1000	C		an..35	
20	C503	C	1		
	1004	C		an..35	
	1373	C		an..3	
	1366	C		an..35	
	3453	C		an..3	
30	3153	C	1		an..3
40	1220	C	1		n..2
50	1218	C	1		n..2
<b>DTM Date Time Period</b>					
10	C507	M	1		

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
	2005 Date/time/period qualifier	M		an..3	
	2380 Date/time/period	C		an..35	
	2379 Date/time/period format qualifier	C		an..3	
<b>EQD Equipment Details</b>					
10	8053 Equipment qualifier	M	1	an..3	
20	C237 EQUIPMENT IDENTIFICATION	C	1		
	8260 Equipment identification number	C		an..17	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	3207 Country, coded	C		an..3	
30	C224 EQUIPMENT SIZE AND TYPE	C	1		
	8155 Equipment size and type identification	C		an..10	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	8154 Equipment size and type	C		an..35	
40	8077 Equipment supplier, coded	C	1	an..3	
50	8249 Equipment status, coded	C	1	an..3	
60	8169 Full/empty indicator, coded	C	1	an..3	
<b>FII Financial Institution Information</b>					
10	3035 Party qualifier	M	1	an..3	
20	C078 ACCOUNT IDENTIFICATION	C	1		
	3194 Account holder number	C		an..35	
	3192 Account holder name	C		an..35	
	3192 Account holder name	C		an..35	
	6345 Currency, coded	C		an..3	
30	C088 INSTITUTION IDENTIFICATION	C	1		
	3433 Institution name identification	C		an..11	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	3434 Institution branch number	C		an..17	

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	3432 Institution name	C		an..70	
	3436 Institution branch place	C		an..70	
40	3207 Country, coded	C	1	an..3	
<b>FTX Free Text</b>					
10	4451 Text subject qualifier	M	1	an..3	
20	4453 Text function, coded	C	1	an..3	
30	C107 TEXT REFERENCE	C	1		
	4441 Free text, coded	M		an..3	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
40	C108 TEXT LITERAL	C	1		
	4440 Free text	M		an..70	
	4440 Free text	C		an..70	
	4440 Free text	C		an..70	
	4440 Free text	C		an..70	
	4440 Free text	C		an..70	
50	3453 Language, coded	C	1	an..3	
<b>GIN Goods Identity Number</b>					
10	7405 Identity number qualifier	M	1	an..3	
20	C208 IDENTITY NUMBER RANGE	M	1		
	7402 Identity number	M		an..35	
	7402 Identity number	C		an..35	
30	C208 IDENTITY NUMBER RANGE	C	1		
	7402 Identity number	M		an..35	
	7402 Identity number	C		an..35	
40	C208 IDENTITY NUMBER RANGE	C	1		
	7402 Identity number	M		an..35	
	7402 Identity number	C		an..35	

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
50	C208	IDENTITY NUMBER RANGE	C	1	
	7402	Identity number	M		an..35
	7402	Identity number	C		an..35
60	C208	IDENTITY NUMBER RANGE	C	1	
	7402	Identity number	M		an..35
	7402	Identity number	C		an..35
<b>GIR Related Identification Numbers</b>					
10	7297	Set identification qualifier	M	1	an..3
20	C206	IDENTIFICATION NUMBER	M	1	
	7402	Identity number	M		an..35
	7405	Identity number qualifier	C		an..3
	4405	Status, coded	C		an..3
30	C206	IDENTIFICATION NUMBER	C	1	
	7402	Identity number	M		an..35
	7405	Identity number qualifier	C		an..3
	4405	Status, coded	C		an..3
40	C206	IDENTIFICATION NUMBER	C	1	
	7402	Identity number	M		an..35
	7405	Identity number qualifier	C		an..3
	4405	Status, coded	C		an..3
50	C206	IDENTIFICATION NUMBER	C	1	
	7402	Identity number	M		an..35
	7405	Identity number qualifier	C		an..3
	4405	Status, coded	C		an..3
60	C206	IDENTIFICATION NUMBER	C	1	
	7402	Identity number	M		an..35
	7405	Identity number qualifier	C		an..3
	4405	Status, coded	C		an..3
<b>IMD Item Description</b>					
10	7077	Item description type, coded	C	1	an..3

Segment	Pos	Segment	M/C	Freq.	Repres.	Notes
	20	7081	Item characteristic, coded	C	1	an..3
	30	C273	ITEM DESCRIPTION	C	1	
		7009	Item description identification	C		an..17
		1131	Code list qualifier	C		an..3
		3055	Code list responsible agency, coded	C		an..3
		7008	Item description	C		an..35
		7008	Item description	C		an..35
		3453	Language, coded	C		an..3
	40	7383	Surface/layer indicator, coded	C	1	an..3
<b>INP Parties to Instruction</b>						
	10	C849	PARTIES TO INSTRUCTION	C	1	
		3301	Party enacting instruction identification	M		an..17
		3285	Recipient of the instruction identification	C		an..17
	20	C522	INSTRUCTION	C	1	
		4403	Instruction qualifier	M		an..3
		4401	Instruction, coded	C		an..3
		1131	Code list qualifier	C		an..3
		3055	Code list responsible agency, coded	C		an..3
		4400	Instruction	C		an..35
	30	C850	STATUS OF INSTRUCTION	C	1	
		4405	Status, coded	M		an..3
		3036	Party name	C		an..35
	40	1229	Action request/notification, coded	C	1	an..3
<b>LIN Line Item</b>						
	10	1082	Line item number	C	1	n..6
	20	1229	Action request/notification, coded	C	1	an..3
	30	C212	ITEM NUMBER IDENTIFICATION	C	1	
		7140	Item number	C		an..35
		7143	Item number type, coded	C		an..3
		1131	Code list qualifier	C		an..3

Segment	Pos	Segment	M/C	Freq.	Repres.	Notes
		3055				Code list responsible agency, coded
40		C829	C	1	an..3	SUB-LINE INFORMATION
		5495	C			Sub-line indicator, coded
		1082	C			Line item number
50		1222	C	1	n..2	Configuration level
60		7083	C	1	an..3	Configuration, coded
<b>LOC Place/Location Identification</b>						
10		3227	M	1	an..3	Place/location qualifier
20		C517	C	1		LOCATION IDENTIFICATION
		3225	C			Place/location identification
		1131	C			Code list qualifier
		3055	C			Code list responsible agency, coded
		3224	C			Place/location
30		C519	C	1		RELATED LOCATION ONE IDENTIFICATION
		3223	C			Related place/location one identification
		1131	C			Code list qualifier
		3055	C			Code list responsible agency, coded
		3222	C			Related place/location one
40		C553	C	1		RELATED LOCATION TWO IDENTIFICATION
		3233	C			Related place/location two identification
		1131	C			Code list qualifier
		3055	C			Code list responsible agency, coded
		3232	C			Related place/location two
50		5479	C	1	an..3	Relation, coded
<b>MEA Measurements</b>						
10		6311	M	1	an..3	Measurement application qualifier
20		C502	C	1		MEASUREMENT DETAILS
		6313	C			Measurement dimension, coded
		6321	C			Measurement significance, coded
		6155	C			Measurement attribute, coded

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
30	6154	Measurement attribute			an..70
	C174	VALUE/RANGE	C	1	
	6411	Measure unit qualifier	M		an..3
	6314	Measurement value	C		n..18
	6162	Range minimum	C		n..18
	6152	Range maximum	C		n..18
	6432	Significant digits	C		n..2
40	7383	Surface/layer indicator, coded	C	1	an..3
<b>MOA Monetary Amount</b>					
10	C516	MONETARY AMOUNT	M	1	
	5025	Monetary amount type qualifier	M		an..3
	5004	Monetary amount	C		n..18
	6345	Currency, coded	C		an..3
	6343	Currency qualifier	C		an..3
	4405	Status, coded	C		an..3
<b>NAD Name and Address</b>					
10	3035	Party qualifier	M	1	an..3
20	C082	PARTY IDENTIFICATION DETAILS	C	1	
	3039	Party id. identification	M		an..35
	1131	Code list qualifier	C		an..3
	3055	Code list responsible agency, coded	C		an..3
	30	C058	NAME AND ADDRESS	C	1
30	3124	Name and address line	M		an..35
	3124	Name and address line	C		an..35
	3124	Name and address line	C		an..35
	3124	Name and address line	C		an..35
	3124	Name and address line	C		an..35
40	C080	PARTY NAME	C	1	
	3036	Party name	M		an..35
	3036	Party name	C		an..35

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Segments



express

Segment	Pos	Segment	M/C	Freq.	Repres.	Notes
	3036	Party name	C		an..35	
	3036	Party name	C		an..35	
	3036	Party name	C		an..35	
	3045	Party name format, coded	C		an..3	
50	C059	STREET	C	1		
	3042	Street and number/p.o. box	M		an..35	
	3042	Street and number/p.o. box	C		an..35	
	3042	Street and number/p.o. box	C		an..35	
	3042	Street and number/p.o. box	C		an..35	
60	3164	City name	C	1	an..35	
70	3229	Country sub-entity identification	C	1	an..9	
80	3251	Postcode identification	C	1	an..9	
90	3207	Country, coded	C	1	an..3	
<b>PAC Packages</b>						
	10	7224	Number of packages	C	1	n..8
	20	C531	PACKAGING DETAILS	C	1	
		7075	Packaging level, coded	C		an..3
		7233	Packaging related information, coded	C		an..3
		7073	Packaging terms and conditions, coded	C		an..3
	30	C202	PACKAGE TYPE	C	1	
		7065	Type of packages identification	C		an..17
		1131	Code list qualifier	C		an..3
		3055	Code list responsible agency, coded	C		an..3
		7064	Type of packages	C		an..35
	40	C402	PACKAGE TYPE IDENTIFICATION	C	1	
		7077	Item description type, coded	M		an..3
		7064	Type of packages	M		an..35
		7143	Item number type, coded	C		an..3
		7064	Type of packages	C		an..35
		7143	Item number type, coded	C		an..3

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Segments



Segment Pos	Segment	M/C	Freq.	Repres.	Notes
50	C532		1		
	8395	C		an..3	RETURNABLE PACKAGE DETAILS Returnable package freight payment responsibility, coded
	8393	C		an..3	Returnable package load contents, coded
<b>PAI Payment Instructions</b>					
10	C534	M	1		
	4439	C		an..3	PAYMENT INSTRUCTION DETAILS Payment conditions, coded
	4431	C		an..3	Payment guarantee, coded
	4461	C		an..3	Payment means, coded
	1131	C		an..3	Code list qualifier
	3055	C		an..3	Code list responsible agency, coded
	4435	C		an..3	Payment channel, coded
<b>PAT Payment Terms Basis</b>					
10	4279	M	1	an..3	Payment terms type qualifier
20	C110	C	1		
	4277	M		an..17	PAYMENT TERMS Terms of payment identification
	1131	C		an..3	Code list qualifier
	3055	C		an..3	Code list responsible agency, coded
	4276	C		an..35	Terms of payment
	4276	C		an..35	Terms of payment
30	C112	C	1		
	2475	M		an..3	TERMS/TIME INFORMATION Payment time reference, coded
	2009	C		an..3	Time relation, coded
	2151	C		an..3	Type of period, coded
	2152	C		n..3	Number of periods
<b>PCD Percentage Details</b>					
10	C501	M	1		
	5245	M		an..3	PERCENTAGE DETAILS Percentage qualifier
	5482	C		n..10	Percentage
	5249	C		an..3	Percentage basis, coded

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
1131	Code list qualifier	C		an..3	
3055	Code list responsible agency, coded	C		an..3	
<b>PCI Package Identification</b>					
10	4233 Marking instructions, coded	C	1	an..3	
20	C210 MARKS & LABELS	C	1		
	7102 Shipping marks	M		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
	7102 Shipping marks	C		an..35	
30	8275 Container/package status, coded	C	1	an..3	
40	C827 TYPE OF MARKING	C	1		
	7511 Type of marking, coded	M		an..3	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
<b>PIA Additional Product ID</b>					
10	4347 Product id. function qualifier	M	1	an..3	
20	C212 ITEM NUMBER IDENTIFICATION	M	1		
	7140 Item number	C		an..35	
	7143 Item number type, coded	C		an..3	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
30	C212 ITEM NUMBER IDENTIFICATION	C	1		
	7140 Item number	C		an..35	
	7143 Item number type, coded	C		an..3	

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
40	1131	Code list qualifier		an..3	
	3055	Code list responsible agency, coded		an..3	
	C212	ITEM NUMBER IDENTIFICATION	C	1	
	7140	Item number	C		an..35
	7143	Item number type, coded	C		an..3
	1131	Code list qualifier	C		an..3
50	3055	Code list responsible agency, coded		an..3	
	C212	ITEM NUMBER IDENTIFICATION	C	1	
	7140	Item number	C		an..35
	7143	Item number type, coded	C		an..3
	1131	Code list qualifier	C		an..3
	3055	Code list responsible agency, coded	C		an..3
60	C212	ITEM NUMBER IDENTIFICATION	C	1	
	7140	Item number	C		an..35
	7143	Item number type, coded	C		an..3
	1131	Code list qualifier	C		an..3
	3055	Code list responsible agency, coded	C		an..3
	3055	Code list responsible agency, coded	C		an..3
<b>PRI Price Details</b>					
10	C509	PRICE INFORMATION	C	1	
	5125	Price qualifier	M		an..3
	5118	Price	C		n..15
	5375	Price type, coded	C		an..3
	5387	Price type qualifier	C		an..3
	5284	Unit price basis	C		n..9
	6411	Measure unit qualifier	C		an..3
	20	5213	Sub-line price change, coded	C	1
<b>QTY Quantity</b>					
10	C186	QUANTITY DETAILS	M	1	
	6063	Quantity qualifier	M		an..3
	6060	Quantity	M		n..15
	6411	Measure unit qualifier	C		an..3

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
<b>QVR Quantity Variances</b>					
10	C279	QUANTITY DIFFERENCE INFORMATION	C	1	
	6064	Quantity difference	M		n..15
	6063	Quantity qualifier	C		an..3
20	4221	Discrepancy, coded	C	1	an..3
30	C960	REASON FOR CHANGE	C	1	
	4295	Change reason, coded	C		an..3
	1131	Code list qualifier	C		an..3
	3055	Code list responsible agency, coded	C		an..3
	4294	Change reason	C		an..35
<b>RCS Requirements and Conditions</b>					
10	7293	Sector/subject identification qualifier	M	1	an..3
20	C550	REQUIREMENT/CONDITION IDENTIFICATION	C	1	
	7295	Requirement/condition identification	M		an..17
	1131	Code list qualifier	C		an..3
	3055	Code list responsible agency, coded	C		an..3
	7294	Requirement or condition	C		an..35
30	1229	Action request/notification, coded	C	1	an..3
<b>RFF Reference</b>					
10	C506	REFERENCE	M	1	
	1153	Reference qualifier	M		an..3
	1154	Reference number	C		an..35
	1156	Line number	C		an..6
	4000	Reference version number	C		an..35
<b>RNG Range Details</b>					
10	6167	Range type qualifier	M	1	an..3
20	C280	RANGE	C	1	
	6411	Measure unit qualifier	M		an..3

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Segments



Segment Pos	Segment	M/C	Freq.	Repres.	Notes
6162	Range minimum	C		n..18	
6152	Range maximum	C		n..18	
<b>RTE Rate Details</b>					
10	C128 RATE DETAILS	M	1		
	5419 Rate type qualifier	M		an..3	
	5420 Rate per unit	M		n..15	
	5284 Unit price basis	C		n..9	
	6411 Measure unit qualifier	C		an..3	
<b>TAX Duty/Tax/Fee Details</b>					
10	5283 Duty/tax/fee function qualifier	M	1	an..3	
20	C241 DUTY/TAX/FEE TYPE	C	1		
	5153 Duty/tax/fee type, coded	C		an..3	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	5152 Duty/tax/fee type	C		an..35	
30	C533 DUTY/TAX/FEE ACCOUNT DETAIL	C	1		
	5289 Duty/tax/fee account identification	M		an..6	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
40	5286 Duty/tax/fee assessment basis	C	1	an..15	
50	C243 DUTY/TAX/FEE DETAIL	C	1		
	5279 Duty/tax/fee rate identification	C		an..7	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	5278 Duty/tax/fee rate	C		an..17	
	5273 Duty/tax/fee rate basis identification	C		an..12	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
60	5305 Duty/tax/fee category, coded	C	1	an..3	
70	3446 Party tax identification number	C	1	an..20	

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
<b>TDT</b>	<b>Details of Transport</b>				
10	8051 Transport stage qualifier	M	1	an..3	
20	8028 Conveyance reference number	C	1	an..17	
30	C220 MODE OF TRANSPORT	C	1		
	8067 Mode of transport, coded	C		an..3	
	8066 Mode of transport	C		an..17	
40	C228 TRANSPORT MEANS	C	1		
	8179 Type of means of transport identification	C		an..8	
	8178 Type of means of transport	C		an..17	
50	C040 CARRIER	C	1		
	3127 Carrier identification	C		an..17	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	3128 Carrier name	C		an..35	
60	8101 Transit direction, coded	C	1	an..3	
70	C401 EXCESS TRANSPORTATION INFORMATION	C	1		
	8457 Excess transportation reason, coded	M		an..3	
	8459 Excess transportation responsibility, coded	M		an..3	
	7130 Customer authorization number	C		an..17	
80	C222 TRANSPORT IDENTIFICATION	C	1		
	8213 Id. of means of transport identification	C		an..9	
	1131 Code list qualifier	C		an..3	
	3055 Code list responsible agency, coded	C		an..3	
	8212 Id. of the means of transport	C		an..35	
	8453 Nationality of means of transport, coded	C		an..3	
90	8281 Transport ownership, coded	C	1	an..3	
<b>TOD</b>	<b>Terms of Delivery or Transport</b>				
10	4055 Terms of delivery or transport function, coded	C	1	an..3	
20	4215 Transport charges method of payment, coded	C	1	an..3	
30	C100 TERMS OF DELIVERY OR TRANSPORT	C	1		
	4053 Terms of delivery or transport, coded	C		an..3	
	1131 Code list qualifier	C		an..3	

Segment Pos	Segment	M/C	Freq.	Repres.	Notes
3055	Code list responsible agency, coded	C		an..3	
4052	Terms of delivery or transport	C		an..70	
4052	Terms of delivery or transport	C		an..70	
<b>UNH Message Header</b>					
10	62 Message reference number	M	1	an..14	
20	S009 MESSAGE IDENTIFIER	M	1		
	65 Message type	M		an..6	
	52 Message version number	M		an..3	
	54 Message release number	M		an..3	
	51 Controlling agency, coded	M		an..3	
	57 Association assigned code	C		an..6	
	110 Code list directory version number	C		an..6	
	113 Message type sub-function identification	C		an..6	
30	68 Common access reference	C	1	an..35	
40	S010 STATUS OF THE TRANSFER	C	1		
	70 Sequence of transfers	M		n..2	
	73 First and last transfer	C		a1	
50	S016 MESSAGE SUBSET IDENTIFICATION	C	1		
	115 Message subset identification	M		an..14	
	116 Message subset version number	C		an..3	
	118 Message subset release number	C		an..3	
	51 Controlling agency, coded	C		an..3	
60	S017 MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION	C	1		
	121 Message implementation guideline identification	M		an..14	
	122 Message implementation guideline version number	C		an..3	
	124 Message implementation guideline release number	C		an..3	
	51 Controlling agency, coded	C		an..3	
70	S018 SCENARIO IDENTIFICATION	C	1		
	127 Scenario identification	M		an..14	
	128 Scenario version number	C		an..3	
	130 Scenario release number	C		an..3	
	51 Controlling agency, coded	C		an..3	

# ExpressInvoice

Formatbeschreibung EDIFACT D96A – Segments



express

Segment	Pos	Segment	M/C	Freq.	Repres.	Notes
UNS		Section Control				
	10	81 Section identification	M	1	a1	
UNT		Message Trailer				
	10	74 Number of segments in a message	M	1	n..10	
	20	62 Message reference number	M	1	an..14	